

Gulf CHMA Update – December 2016, Cycle 94

Phil Stansly and Xulin Chen

The 94th cycle of the statewide survey was completed on the 23rd December. Since cycle 93, ACP populations saw decreases in Lee and Hendry Counties, whereas increases in Charlotte, Collier, and Glades Counties. Figure 1 shows average ACP numbers by county for Cycles 89 - 94. **Three multiblock had hotspots (≥ 10 psyllids/50 taps) in all of Cycles 92, 93, 94** (please see Figure 2 for trends and the map on our website for precise locations of ACP counts and hotspots). Please note: the threshold for hotspots decreased from an average of 21 to 10 ACP per block beginning in Cycle 49.

Cycle 94	Hotspots	Sustained Hotspots
Charlotte	9	0
Corkscrew	1	1
Glades / Muse	1	0
Gutwein	0	0
North Collier	2	0
Northeast Hendry/Glades	3	0
Northwest Hendry	3	2
South Collier	1	0
Southeast Hendry	2	0
Southwest Hendry	0	0
Seminole	0	0

For the **94th cycle**, 4761 multi-blocks (69% of total) were surveyed including 875 (80% of total) in Charlotte, Glades, Collier, Hendry and Lee Counties.

Figure 1 - Average ACP per cycle by County




Figure 2 – Evolution of Hotspots in Gulf CHMAs

