

Gulf CHMA Update – June 2017, Cycle 103

Phil Stansly and Nicholas Johnston

The 103th cycle of the statewide survey was completed on the 30th of June. Since cycle 102, ACP populations saw decreases in 4 counties, and a dramatic increase in 1 county. Figure 1 shows average ACP numbers by county for Cycles 97 - 102. **58 multiblocks had hotspots (≥ 10 psyllids/50 taps) in all of Cycles 101, 102, 103** (please see Figure 2 for trends and the map on our website for precise locations of ACP counts and hotspots). Please note: the threshold for hotspots decreased from an average of 21 to 10 ACP per block beginning in Cycle 49.

Cycle 103	Hotspots	Sustained Hotspots
Charlotte	46	29
Corkscrew	11	0
Glades / Muse	21	9
Gutwein	15	7
North Collier	11	2
Northeast Hendry/Glades	13	2
Northwest Hendry	21	5
South Collier	13	2
Southeast Hendry	38	2
Southwest Hendry	3	0
Seminole	0	0

For the **103th cycle**, 2979 multi-blocks (43% of total) were surveyed including 594 (68% of total) in Charlotte, Glades, Collier, Hendry and Lee Counties.

Figure 1 - Average ACP per cycle by County




Figure 2 – Evolution of Hotspots in Gulf CHMAs

