

Gulf CHMA Update – October 2015, Cycle 73

Phil Stansly, James Tansey and Xulin Chen

The 73rd cycle of the statewide survey was completed on 9th October. Since cycle 72, ACP populations saw decreases in Glades, Hendry and Lee Counties. Small increases were seen in Charlotte and Collier Counties. Figure 1 shows average ACP numbers by county for Cycles 68 - 73. **Four multiblocks had a hotspot (≥ 10 psyllids/50 taps) in all of Cycles 71, 72, 73** (please see Figure 2 for trends and the map on our website for precise locations of ACP counts and hotspots). Please note: the threshold for hotspots decreased from an average of 21 to 10 ACP per block beginning in Cycle 49.

Cycle 73 Hotspots		Sustained Hotspots	
Charlotte	4		
Corkscrew	3	Corkscrew	1
Glades / Muse	1		
Gutwein	0		
North Collier	4		
Northeast Hendry/Glades	4		
Northwest Hendry	4	Northwest Hendry	3
South Collier	0		
Southeast Hendry	2		
Southwest Hendry	0		
Seminole	2		

For the **73rd cycle**, 4656 multi-blocks (69% of total) were surveyed including 675 (75% of total) in Charlotte, Glades, Collier, Hendry and Lee Counties.

Figure 1 - Average ACP per cycle by County




Figure 2 – Evolution of Hotspots in Gulf CHMAs

