

Gulf CHMA Update – September 2015, Cycle 72

Phil Stansly and James Tansey

The 71st cycle of the statewide survey was completed 18 September. Since cycle 71, ACP populations saw decreases in Charlotte, Glades, Collier Counties, Hendry and Lee Counties. Figure 1 shows average ACP numbers by county for Cycles 67 - 72. **Fourteen multiblocks had a hotspot (≥ 10 psyllids/50 taps) in all of Cycles 70, 71, 72** (please see Figure 2 for trends and the map on our website for precise locations of ACP counts and hotspots). Please note: the threshold for hotspots decreased from an average of 21 to 10 ACP per block beginning in Cycle 49.

Cycle 68 Hotspots		Sustained Hotspots	
Charlotte	1		-
Corkscrew	5	Corkscrew	2
Glades / Muse	2	Glades / Muse	1
Gutwein	1		-
North Collier	0		-
Northeast Hendry/Glades	10	Northeast Hendry/Glades	2
Northwest Hendry	11	Northwest Hendry	8
South Collier	1		-
Southeast Hendry	2	Southeast Hendry	1
Southwest Hendry	0		-
Seminole	0		-

For the **72nd cycle**, 4331 multi-blocks (65% of total) were surveyed including 651 (61% of total) in Charlotte, Glades, Collier, Hendry and Lee Counties.

Figure 1 - Average ACP per cycle by County




Figure 2 – Evolution of Hotspots in Gulf CHMAs

